

INCENTIVES FOR BUILDING ENVELOPE NEW CONSTRUCTION/MAJOR RENOVATION

EQUIPMENT TYPE	CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	INCENTIVE
Cool Roof	--	Roofing product meets the minimum SRI specified by the Green Globes Building Certification v1.0. (See note 6)	\$0.02/square foot
Roof/Attic Insulation	--	Minimum increment of R-5 insulation above code (See note 5)	\$0.07/square foot
Wall Insulation	--	Minimum increment of R-3.7 continuous insulation above code (See note 5)	\$0.07/square foot
Windows (See note 3, 4)	Site-built	U-factor \leq 0.30 and SHGC \leq 0.33 (glazing only rating)	\$0.35/square foot
	Assembly	U-factor \leq 0.30 and SHGC \leq 0.33 (entire window assembly rating)	\$0.35/square foot

Notes for building envelope incentives for new construction/major renovation projects:

1. Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
2. Building must be conditioned with mechanical cooling to be eligible for building envelope incentives.
3. Energy performance of window assemblies and glazing products must be rated in accordance with NFRC. Site-built metal window systems must include a thermal break within the frame or other appropriate NFRC certification to qualify for incentives. Skylights are not eligible to receive the incentives.
4. Window square footage is determined by the dimensions of the entire window assembly, not just the window glass.
5. Compliance with the minimum efficiency requirements of the roof/attic and wall insulation measures may be demonstrated with equivalent U-factors and is subject to approval by Rocky Mountain Power.
6. For a roof slope less than or equal to 2:12, a minimum initial SRI of 78 or greater or a three-year aged SRI of 60 or greater; for a roof slope greater than 2:12, a minimum initial SRI of 29 or greater or a three year-aged SRI of 25 or greater.

NFRC = National Fenestration Rating Council

SHGC = Solar Heat Gain Coefficient

SRI = Solar Reflectance Index

