

INCENTIVES FOR BUILDING ENVELOPE RETROFITS

EQUIPMENT TYPE	CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	INCENTIVE
Cool Roof	--	Green Globes Building Certification v1.0	\$0.04/square foot
Roof/Attic Insulation	--	Minimum increment of R-10 insulation added	\$0.20/square foot
Wall Insulation	--	Minimum increment of R-10 insulation added	\$0.15/square foot
Windows (See notes 3, 4)	Site-built	U-factor ≤ 0.30 and SHGC ≤ 0.33 (glazing only rating)	\$0.50/square foot
	Assembly	U-factor ≤ 0.30 and SHGC ≤ 0.33 (entire window assembly rating)	\$0.50/square foot
Window Film	Existing windows	See note 5	\$0.15/kWh annual energy savings (See note 5)

Notes for building envelope retrofit incentives:

1. Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
2. Building must be conditioned with mechanical cooling to be eligible for building envelope incentives.
3. Energy performance of window assemblies and glazing products must be rated in accordance with NFRC. Site-built metal window systems must include a thermal break within the frame or other appropriate NFRC certification to qualify for incentives. Skylights are not eligible to receive incentives.
4. Window square footage is determined by the dimensions of the entire window assembly, not just the window glass.
5. Incentives for window film are calculated based on film specifications and window orientation at \$0.15/kWh annual energy savings. Energy savings subject to approval by Rocky Mountain Power.

NFRC = National Fenestration Rating Council
SHGC = Solar Heat Gain Coefficient