

CALCULATED INCENTIVES FOR LIGHTING SYSTEM RETROFITS (NON- PRESCRIPTIVE)

INTERIOR		
INTERIOR LIGHTING CATEGORY	ELIGIBILITY REQUIREMENTS	CUSTOMER INCENTIVE
New Fixtures/Retrofit Kits	Without Controls or Basic Controls	\$0.60/W Reduced
	Plug and Play Ready Controls	\$0.80/W Reduced
	With Networked Controls (Area/Circuit Level)	\$1.00/W Reduced
	With Advanced Networked Lighting Controls (Fixture Level/LLLC)	\$1.20/W Reduced
Controls Only	Basic Controls	\$0.45/W Controlled
	With Networked Controls (Area/Circuit Level)	\$0.60/W Controlled
	With Advanced Networked Lighting Controls (Fixture Level/LLLC)	\$0.75/W Controlled
	Control Re-Commissioning	\$0.15/W Controlled
Controlled Environment Agriculture (CEA)	Fixtures	\$0.05/kWh
	Replacement Lamps	\$0.03/kWh
Custom	Without Controls	\$0.15/W Reduced
	Basic Controls	\$0.30/W Reduced
	With Advanced Networked Lighting Controls (Fixture Level/LLLC)	\$0.85/W Reduced
EXTERIOR		
EXTERIOR LIGHTING CATEGORY	ELIGIBILITY REQUIREMENTS	CUSTOMER INCENTIVE
Lamps	See Market Incentive Offering	
New Fixtures/Retrofit Kits	Without Controls	\$0.35/W Reduced
	Basic Dimming Controls	\$0.50/W Reduced
	Advanced Networked Dimming Controls	\$0.70/W Reduced
Controls Only	Basic Dimming Controls	\$0.35/W Controlled
	Advanced Networked Dimming Controls	\$0.60/W Controlled
Street Lighting	Basic Dimming Controls	\$0.35/W Reduced
	Advanced Networked Dimming Controls	\$0.35/W Reduced
Custom	Without Controls	\$0.10/W Reduced
	Exterior Dimming Controls	\$0.30/W Reduced

(continued)

Notes for interior lighting system retrofit incentives:

1. To be eligible for the incentives listed, the new lighting system must use less energy than the existing lighting system being replaced or the baseline lighting system as determined by Rocky Mountain Power.
2. Incentives are capped at 70 percent of Energy Efficiency Project Costs at a project level and will not be available to reduce the Energy Efficiency Project simple payback below one year. Energy Efficiency Project costs are subject to Rocky Mountain Power approval. Control Re-Commissioning measure only projects are subject to 100 percent cost cap of reasonable costs at a project level and are not subject to the one-year simple payback cap.
3. The Customer or Owner may receive only one financial incentive from Rocky Mountain Power per measure. Financial incentives include energy efficiency incentive payments and energy management payments. Incentives listed in the table above cannot be combined with incentives received either through the Prescriptive Express offer or the Rocky Mountain Power Wattsmart Homes Programs program.
4. In cases where controls are required for eligibility and there are existing controls, the new control strategy must result in higher savings than the existing controls system to qualify for incentives. This can be achieved by replacing or adding to the existing controls system.
5. There is a 3-year waiting period for any control system re-commissioning that previously received an incentive as ANLC or as determined by Rocky Mountain Power. The waiting period can be waived for anything previously classified as Basic or Networked, or if the installed lighting control system has not previously received an incentive.
6. Qualified eligible retrofit lighting equipment is defined in qualified equipment lists posted on Rocky Mountain Power's website and in the "Qualified Lighting Equipment Policy" section at the end of this catalog.
7. Qualified make and model numbers need to be entered into lighting calculator tool.
8. Energy savings are subject to approval and will be offered at Rocky Mountain Power's discretion. Energy Efficiency Project costs are subject to Rocky Mountain Power approval. Certain lighting technologies/upgrades have been deemed ineligible for incentives. See the "Ineligible Lighting Technologies" section at the end of this catalog.
9. Per International Energy Conservation Code 2021 (IECC 2021) and program requirements, parking garages and areas under parking decks are considered interior spaces. Top decks are considered exterior spaces.
10. Exterior fixtures are, by default, considered dusk to dawn, excluding seasonal exterior lighting. Any other operating schedule must be documented and verified.
11. To qualify for Controlled Environment Agriculture (CEA) fixture incentives, equipment must be listed on DesignLights Consortium's (DLC) horticultural lighting QPL.
12. For facilities not subject to standard code LPD allowances, a custom analysis may be performed and retrofits may be paid incentives based on savings over industry standard systems.
 - a. Incentive offer letter may be required for projects not subject to standard code LPD allowances.

INCENTIVES FOR EXTERIOR* SEASONAL LIGHTING SYSTEM RETROFITS

EXTERIOR LIGHTING CATEGORY	ELIGIBILITY REQUIREMENTS	LARGE	MEDIUM	SMALL
Replacement Lamps	See Market Incentive Offering			
Non- Prescriptive (Calculated)	Without Controls	\$0.18/W Reduced	\$0.20/W Reduced	\$0.20/W Reduced
	With Basic Exterior Dimming Controls	\$0.25/W Reduced	\$0.28/W Reduced	\$0.28/W Reduced
	With Advanced Networked Dimming Controls	\$0.35/W Reduced	\$0.39/W Reduced	\$0.39/W Reduced
Controls Only	Basic Exterior Dimming	\$0.18/W Controlled	\$0.20/W Controlled	\$0.20/W Controlled
	Advanced Networked Dimming Controls	\$0.30/W Controlled	\$0.33/W Controlled	\$0.33/W Controlled

*Exterior seasonal lighting is defined as lighting that is intended to illuminate spaces for large outdoor events and activities (e.g., sporting games). These lights tend to be on a seasonal schedule and/or on a daily schedule that is less than dusk to dawn.

Notes for exterior seasonal lighting system retrofit incentives:

- To be eligible for the incentives listed, the new lighting system must use less energy than the existing lighting system being replaced or the baseline lighting system as determined by Rocky Mountain Power.
- Incentives are capped at 70 percent of Energy Efficiency Project Costs and will not be available to reduce the Energy Efficiency Project simple payback below one year. Energy Efficiency Project costs are subject to Rocky Mountain Power approval. Control Re-Commissioning measure only projects are subject to 100 percent cost cap of reasonable costs and are not subject to the one-year simple payback cap.
- The Customer or Owner may receive only one financial incentive from Rocky Mountain Power per measure. Incentives listed in the table above cannot be combined with incentives received either through the Prescriptive Express offer or the Home Energy Savings program.
- In cases where controls are required for eligibility and there are existing controls, the new control strategy must result in higher savings than the existing controls system to qualify for incentives. This can be achieved by replacing or adding to the existing controls system.
- Qualified eligible retrofit lighting equipment is defined in qualified equipment lists posted on Rocky Mountain Power's website and in the "Qualified Lighting Equipment Policy" section at the end of this catalog.
- Qualified make and model numbers need to be entered into lighting calculator tool.
- Energy savings are subject to approval and will be offered at Rocky Mountain Power's discretion. Energy Efficiency Project costs are subject to Rocky Mountain Power approval. Certain lighting technologies/upgrades have been deemed ineligible for incentives. See the "Ineligible Lighting Technologies" section at the end of this catalog.
- Per International Energy Conservation Code 2021 (IECC 2021) and program requirements, parking garages and areas under parking decks are considered interior spaces. Top decks are considered exterior spaces.
- Exterior fixtures are, by default, considered dusk to dawn, excluding seasonal exterior lighting. Any other operating schedule must be documented and verified.
- Exterior Seasonal Lighting is intended to illuminate spaces for sports events or other outdoor events and activities. The lights would typically be on a seasonal schedule and/or run on a daily schedule that is less than dusk to dawn. These lights are only eligible for the Exterior Seasonal Lighting incentives.

INCENTIVES FOR EXPRESS LIGHTING SYSTEM RETROFITS

MEASURE	LIGHTING CATEGORY	ELIGIBILITY REQUIREMENTS	CUSTOMER INCENTIVE
Interior Lighting System Retrofit	New Fixture/Retrofit Kit	Without Controls	\$0.75/W Installed
		Plug and Play Controls Ready	\$1.00/W Installed
		Networked Lighting Controls	\$1.25/W Installed
		Luminaire Level Lighting Controls	\$1.75/W Installed
Exterior Lighting System Retrofit	New Fixture/Retrofit Kit	Without Controls (up to 285 W)	\$1.20/W Installed

Notes for express lighting system retrofit incentives:

1. To be eligible for the incentives listed, the new lighting system must use less energy than the existing lighting system being replaced or the baseline lighting system as determined by Rocky Mountain Power.
2. Incentives are capped at 70 percent of Energy Efficiency Project Costs and will not be available to reduce the Energy Efficiency Project simple payback below one year. Energy Efficiency Project costs are subject to Rocky Mountain Power approval. Control Re-Commissioning measure only projects are subject to 100 percent cost cap of reasonable costs and are not subject to the one-year simple payback cap.
3. The Customer or Owner may receive only one financial incentive from Rocky Mountain Power per measure. Incentives listed in the table above cannot be combined with incentives received either through the Prescriptive Small and Medium Business Express offer, non-prescriptive typical offer, or the Home Energy Savings program.
4. Projects with existing controls are not eligible for Express or Small and Medium Business Express incentives. See the Non-Prescriptive offer for available incentive options.
5. Qualified eligible retrofit lighting equipment is defined in qualified equipment lists posted on Rocky Mountain Power's website and in the "Qualified Lighting Equipment Policy" section at the end of this catalog.
6. Qualified make and model numbers need to be entered into lighting calculator tool or application forms.
7. Energy savings are subject to approval and will be offered at Rocky Mountain Power's discretion. Energy Efficiency Project costs are subject to Rocky Mountain Power approval. Certain lighting technologies/upgrades have been deemed ineligible for incentives. See the "Ineligible Lighting Technologies" section at the end of this catalog.
8. Per International Energy Conservation Code 2021 (IECC 2021) and program requirements, parking garages and areas under parking decks are considered interior spaces. Top decks are considered exterior spaces.
9. Lighting system redesign that significantly alters system layouts and/or light levels or is driven by changes to space use, space occupancy or occupant requirements may not be eligible for Express Lighting incentives. Express applications must be a "like for like" retrofit that is usually defined as "lumen for lumen". Industry accepted wattage reduction practices should be applied.
10. Exterior Seasonal Lighting is not eligible for Express incentives. These lights would typically be on a seasonal schedule and/or run on a daily schedule that is less than dusk to dawn. These lights are only eligible for the non-prescriptive (calculated) Exterior Seasonal Lighting incentives.
11. Streetlighting not eligible for Express incentives.

INCENTIVES FOR SMALL AND MEDIUM BUSINESS EXPRESS (SMBE) LIGHTING SYSTEM RETROFITS

MEASURE	LIGHTING CATEGORY	ELIGIBILITY REQUIREMENTS	CUSTOMER INCENTIVE
Interior Lighting System Retrofit	New Fixture/Retrofit Kit	Without Controls	\$1.50/W Installed
		Plug and Play Controls Ready	\$2.00/W Installed
		Networked Lighting Controls	\$2.50/W Installed
		Luminaire Level Lighting Controls	\$3.50/W Installed
Exterior Lighting System Retrofit	New Fixture/Retrofit Kit	Without Controls (up to 285 W)	\$2.40/W Installed

Notes for small and medium business express (SMBE) lighting system retrofit incentives:

- To be eligible for the incentives listed, the new lighting system must use less energy than the existing lighting system being replaced or the baseline lighting system as determined by Rocky Mountain Power.
- Incentives are capped at 75 percent of Energy Efficiency Project Costs. Energy Efficiency Project costs are subject to Rocky Mountain Power approval.
- The Customer or Owner may receive only one financial incentive from Rocky Mountain Power per measure. Incentives listed in the table above cannot be combined with incentives received either through the Prescriptive Express offer, Non-prescriptive Typical offer, or the Home Energy Savings program.
- Projects with existing controls are not eligible for Express or Small and Medium Business Express incentives. See the Non-Prescriptive offer for available incentive options.
- Qualified eligible retrofit lighting equipment is defined in qualified equipment lists posted on Rocky Mountain Power’s website and in the “Qualified Lighting Equipment Policy” section at the end of this catalog.
- Qualified make and model numbers need to be entered into lighting calculator tool or application forms.
- Energy savings are subject to approval and will be offered at Rocky Mountain Power’s discretion. Energy Efficiency Project costs are subject to Rocky Mountain Power approval. Certain lighting technologies/upgrades have been deemed ineligible for incentives. See the “Ineligible Lighting Technologies” section at the end of this catalog.
- Per International Energy Conservation Code 2021 (IECC 2021) and program requirements, parking garages and areas under parking decks are considered interior spaces. Top decks are considered exterior spaces.
- Lighting system redesign that significantly alters system layouts and/or light levels or is driven by changes to space use, space occupancy or occupant requirements may not be eligible for the Small and Medium Business Express Lighting incentives. Small and Medium Business Express applications must be a “like for like” retrofit that is usually defined as “lumen for lumen”. Industry accepted wattage reduction practices should be applied.
- Exterior Seasonal Lighting is not eligible for Small and Medium Business Express incentives. These lights would typically be on a seasonal schedule and/or run on a daily schedule that is less than dusk to dawn. These lights are only eligible for the non-prescriptive (calculated) Exterior Seasonal Lighting incentives.
- Streetlighting not eligible for Small and Medium Business Express incentives.
- In order to qualify for SMBE incentives, the customer must be a qualified Small or Medium business as defined by the customer size classification website at wattsmartbusiness.com/eligibility and using an approved SMBE Trade ally as listed on <https://WattsmartBusiness.com/Find-A-Trade-Ally/>.

INCENTIVES FOR NEW CONSTRUCTION/ MAJOR RENOVATION LIGHTING SYSTEMS

LIGHTING CATEGORY	ELIGIBILITY REQUIREMENTS	CUSTOMER INCENTIVE
Interior Lighting (Major Lighting Renovation Only)	Without Controls	\$0.08/kWh
	Network Lighting Controls	\$0.10/kWh
	Advanced Networked Lighting Controls	\$0.14/kWh
Exterior Lighting (Major Lighting Renovation Only)	Without Controls	\$0.04/kWh
	Basic Exterior Dimming Controls	\$0.05/kWh
	Advanced Networked Lighting Controls	\$0.07/kWh
Controlled Environment Agriculture (CEA)	Fixtures	\$0.05/kWh
	Replacement Lamps	\$0.03/kWh

Notes for lighting incentives for new construction/major renovation projects:

1. Non-CEA Incentives are available to facilities that are only renovating their lighting systems. Facilities that are newly constructed or renovating more than their lighting system can earn incentives through the Whole Building New Construction/Major Renovation offer.
2. Rocky Mountain Power requires LED fixtures to be listed as Premium level on the following website: DesignLights Consortium (DLC)– www.designlights.org.
3. Incentives listed as \$/kWh are paid per kWh annual energy savings as determined by Rocky Mountain Power. A custom analysis may be performed and energy savings are subject to approval and will be offered at Rocky Mountain Power's discretion.
4. Project cost caps of 70% and one-year simple payback caps apply to new construction and major renovation projects that are not subject to state energy code. The one-year simple payback cap means incentives will not be available to reduce the simple payback of a project below one year. If required, individual measure incentives will be adjusted downward pro-rata so the project has a simple payback after incentives of one year.
5. Lighting controls required by the applicable version of the state energy code are not eligible for incentives.
6. Other incentives for new construction/major renovation lighting equipment are available as an integrated piece of the [Whole Building New Construction](#) incentive offering.

INCENTIVES FOR MOTORS

EQUIPMENT TYPE	SIZE CATEGORY	SUB-CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	INCENTIVE
Electronically Commutated Motor (ECM) – Retrofit only	≤ 1 horsepower	Refrigeration application	—	\$3/watt
		HVAC application	—	\$200/horsepower
	> 1 hp and ≤ 10 hp	HVAC application	—	\$200/horsepower
Variable-Frequency Drives (HVAC fans and pumps)	≤ 100 horsepower	HVAC fans and pumps	See note 2	\$200/horsepower

Notes for other motor incentives:

- Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
- Throttling or bypass devices, such as inlet vanes, bypass dampers, three-way valves or throttling valves must be removed or permanently disabled to qualify for HVAC fan or pump VFD incentives. VFDs required by or used to comply with the applicable version of the energy code are not eligible for incentives. Savings will only be realized for installations where a variable load is present.
- The maximum allowable incentive rates for energy-saving measures are posted in the most current [Schedule 140 tariff](#) as approved by the Utah Public Service Commission.

ECM = Electronically Commutated Motor

HVAC = Heating, Ventilation and Air Conditioning

NEMA = National Electrical Manufacturers Association

VFD = Variable Frequency Drive

INCENTIVES FOR HVAC EQUIPMENT (RETROFIT/MAJOR RENOVATION)

EQUIPMENT TYPE	CATEGORY	SUB-CATEGORY	MINIMUM EFFICIENCY REQUIREMENT & CUSTOMER INCENTIVE		
			\$50/TON	\$75/TON	\$100/TON
Unitary Commercial Air Conditioner	Air cooled – split systems only	< 65,000 Btu/hr	CEE Tier 1	CEE Tier 2	CEE Tier 3
		≥ 65,000 and < 240,000 Btu/hr			
		≥ 240,000 Btu/hr			
	Water cooled	All equipment sizes	—	CEE Tier 1	—
	Evaporatively cooled	All equipment sizes	—	CEE Tier 1	—

(continued)

INCENTIVES FOR HVAC EQUIPMENT (RETROFIT/MAJOR RENOVATION) (CONTINUED)

EQUIPMENT TYPE	CATEGORY	SUB-CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	CUSTOMER INCENTIVE
Unitary Commercial Heat Pumps <i>(See note 3)</i>	Water cooled	All equipment sizes	CEE Tier 1	\$50/ton
	Ground source	All equipment sizes	ENERGY STAR® qualified	\$50/ton
	Groundwater source	All equipment sizes	ENERGY STAR® qualified	\$50/ton
	Air cooled	Upgrade	ENERGY STAR® qualified	\$120/ton
		Conversion	ENERGY STAR® qualified	\$300/ton
Packaged Terminal Air Conditioners (PTAC)	—	< 7,000Btu/hr	13 EER	\$25/ton
		> 7,000 Btu/hr and ≤ 15,000 Btu/hr	12.1 EER	
		> 15,000 Btu/hr	10.4 EER	
Packaged Terminal - Heat Pumps (PTHP) <i>(See note 3)</i>	—	< 7,000Btu/hr	13 EER and 3.6 COP	\$25/ton
		> 7,000 Btu/hr and ≤ 15,000 Btu/hr	12.1 EER and 3.5 COP	
		> 15,000 Btu/hr	10.4 EER and 3.3 COP	
VRF Heat Pumps <i>(See note 3)</i>	Air cooled	Ducted, < 240,000 Btu/hr	ENERGY STAR® qualified	\$1,000/indoor unit head
		Non-Ducted/Ductless, < 240,000 Btu/hr		
	Water cooled	Multisplit system, all equipment sizes	CEE Tier 1	\$125/ton
		Multisplit system with heat recovery, all equipment sizes		
Heat Pump Loop <i>(See note 5)</i>	Ground source, closed loop	All equipment sizes	—	\$125/ton
	Groundwater source, open loop			

Notes for HVAC equipment incentives:

1. Equipment that meets or exceeds the efficiency requirements listed for the size category in the above table may qualify for the listed incentive. Equipment must meet all listed efficiency requirements to qualify for the listed incentives.
2. PTHPs can replace electric resistive heating, which must be removed.
3. Incentives for heat pumps are available per ton of cooling capacity ONLY. No incentives are paid per ton of heating capacity. Heat pumps must meet both the cooling mode and heating mode efficiency requirements to qualify for per ton cooling efficiency incentives.
4. Equipment size categories and capacities are specified in terms of net cooling capacity at AHRI standard conditions as determined by AHRI Standard 210/240 for units < 65,000 Btu/hr, AHRI Standard 340/360 for units ≥ 65,000 Btu/hr, AHRI Standard 310/380 for PTAC and PTHP units, and AHRI Standard 1230 for VRF systems.
5. Ground- and water-source heat pumps must meet or exceed listed efficiency requirements when rated in accordance with ISO-13256-1 to qualify for the listed incentive.
6. Efficiency requirements align with the Unitary Air-conditioning and Heat Pump Specification maintained by the Consortium for Energy Efficiency or ENERGY STAR® for equipment with heating sections other than electric resistance. Minimum efficiency requirements are listed at Wattsmart.com.
7. The maximum allowable incentive rates for energy-savings measures are posted in the most current [Schedule 140 tariff](#) as approved by the Utah Public Service Commission.

AHRI = Air-conditioning, Heating, and Refrigeration Institute
 CEE = Consortium for Energy Efficiency
 COP = Coefficient of Performance
 EER = Energy Efficiency Ratio
 HSPF = Heating Seasonal Performance Factor
 HVAC = Heating, Ventilation and Air Conditioning

IEER = Integrated Energy Efficiency Ratio
 PTAC = Packaged Terminal Air Conditioner
 PTHP = Packaged Terminal Heat Pump
 SEER = Seasonal Energy Efficiency Ratio
 VRF = Variable Refrigerant Flow

INCENTIVES FOR OTHER HVAC EQUIPMENT AND CONTROLS

EQUIPMENT TYPE	CATEGORY	SUB-CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	CUSTOMER INCENTIVE
Evaporative Cooling	All sizes	Direct or indirect	—	\$0.06/CFM
Indirect-Direct Evaporative Cooling (IDEC)	All sizes	—	Applicable system components must exceed minimum efficiencies required by energy code	\$0.15/kWh annual energy savings (See note 2)
Chillers	All except chillers intended for backup service only	Serving primarily occupant comfort cooling loads (no more than 20% of process cooling loads)	Must exceed minimum efficiencies required by energy code	\$0.30/kWh annual energy savings (See note 3)
365/366 day Programmable or Occupancy-Based Thermostat	All sizes in portable classrooms with mechanical cooling	Must be installed in portable classroom unoccupied during summer months	365/366 day thermostatic or occupancy-based setback capability	\$150/thermostat
Occupancy Based PTHP/ PTAC Control	All sizes with no prior occupancy-based control	—	See note 5	\$50/controller
Evaporative Pre-cooler (Retrofit only)	—	For single air-cooled packaged rooftop or matched split-system condensers only	Minimum performance efficiency of 75%. Must have enthalpy controls to control pre-cooler operation. Water supply must have chemical or mechanical water treatment.	\$75/ton of attached cooling capacity (See note 5)
Advanced Rooftop Unit Control (Retrofit Gas-Fired RTU)	< 5 tons	Must be installed on existing unitary packaged rooftop units (no split systems) with constant speed supply fans	Controls must include: • Either a supply fan VFD or multi-speed supply fan motor with controller that meets ventilation and space conditioning needs • Digital integrated economizer control	\$500
	≥ 5 tons and ≤ 10 tons			\$2,000
	> 10 tons and ≤ 15 tons			\$2,800
	> 15 tons and ≤ 20 tons			\$4,000
	> 20 tons			\$4,500
Advanced Rooftop Unit Control (New Gas-Fired RTU)	< 5 tons	Must be installed on new unitary packaged rooftop units (no split systems)	Controls must include: • Either a supply fan VFD or multi-speed supply fan motor with controller that meets ventilation and space conditioning needs • Digital integrated economizer control	\$400
	≥ 5 tons and ≤ 10 tons			\$1,200
	> 10 tons and ≤ 15 tons			\$1,800
	> 15 tons and ≤ 20 tons			\$2,500
	> 20 tons			\$2,800
Advanced Rooftop Unit Control (Retrofit Heat Pump RTU)	< 5 tons	Must be installed on existing unitary packaged rooftop units (no split systems)	Controls must include: • Either a supply fan VFD or multi-speed supply fan motor with controller that meets ventilation and space conditioning needs • Digital integrated economizer control	\$500
	≥ 5 tons and ≤ 10 tons			\$2,900
	> 10 tons and ≤ 15 tons			\$4,000
	> 15 tons and ≤ 20 tons			\$5,800
	> 20 tons			\$6,500

(continued)

INCENTIVES FOR OTHER HVAC EQUIPMENT AND CONTROLS (CONTINUED)

EQUIPMENT TYPE	CATEGORY	SUB-CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	CUSTOMER INCENTIVE
Advanced Rooftop Unit Control (New Heat Pump RTU)	< 5 tons	Must be installed on new unitary packaged rooftop units (no split systems)	Controls must include: <ul style="list-style-type: none"> • Either a supply fan VFD or multi-speed supply fan motor with controller that meets ventilation and space conditioning needs • CO2 or occupancy-based sensor that determines ventilation and space conditioning needs • Digital integrated economizer control 	\$400
	≥ 5 tons and ≤ 10 tons			\$1,700
	> 10 tons and ≤ 15 tons			\$2,600
	> 15 tons and ≤ 20 tons			\$3,600
	> 20 tons			\$4,000
Advanced Rooftop Unit Control (DCV only)	< 5 tons	Must be installed on new unitary packaged rooftop units (no split systems)	Controls must include digital integrated economizer control with either an existing supply fan VFD or an existing multi-speed supply fan motor and controller that meets ventilation and space conditioning needs	\$300
	≥ 5 tons and ≤ 10 tons			\$500
	> 10 tons and ≤ 15 tons			\$600
	> 15 tons and ≤ 20 tons			\$700
	> 20 tons			\$800

Notes for other HVAC equipment and controls incentives:

1. Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
2. Incentives paid at \$0.15/kWh annual energy savings. IDEC energy savings subject to approval by Rocky Mountain Power.
3. Incentives paid at \$0.30/kWh annual energy savings. Chiller energy savings subject to approval by Rocky Mountain Power.
4. Controller units must include an occupancy-based control and include the capability to set back the zone temperature during extended unoccupied periods and set up the temperature once the zone is occupied.
5. Incentives for evaporative pre-coolers are capped at 70% of energy efficiency project costs and incentives will not be available to reduce the energy efficiency project simple payback below one year.
6. Energy efficiency project costs are subject to approval by Rocky Mountain Power.
7. Evaporative pre-cooler incentives are subject to the project cost cap and the one-year payback cap.
8. The maximum allowable incentive rates for energy-savings measures are posted in the most current [Schedule 140 tariff](#) as approved by the Utah Public Service Commission.

CFM = Cubic Feet per Minute

HVAC = Heating, Ventilation and Air Conditioning

IDEC = Indirect-Direct Evaporative Cooling

PTAC = Packaged Terminal Air Conditioner

PTHP = Packaged Terminal Heat Pump

INCENTIVES FOR EVAPORATIVE COOLING

EQUIPMENT TYPE	SIZE CATEGORY	SUB-CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	INCENTIVE
Evaporative Cooling	All sizes	Direct or indirect	—	\$0.06/CFM
Indirect-Direct Evaporative Cooling (IDEC)	All sizes	—	Applicable system components must exceed minimum efficiencies required by energy code	\$0.15/kWh annual energy savings (See note 2)
Evaporative Pre-cooler (Retrofit only)	—	For single air-cooled packaged rooftop or matched split-system condensers only	Minimum performance efficiency of 75%. Must have enthalpy controls to control pre-cooler operation. Water supply must have chemical or mechanical water treatment.	\$75/ton of attached cooling capacity (See note 3)

Notes for evaporative cooling incentives:

1. Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
2. Incentives paid at \$0.15/kWh annual energy savings. IDEC energy and demand savings subject to approval by Rocky Mountain Power.
3. Incentives for evaporative pre-coolers are capped at 70% of energy efficiency project costs and incentives will not be available to reduce the energy efficiency project simple payback below one year.
4. Energy efficiency project costs are subject to approval by Rocky Mountain Power.
5. Evaporative pre-cooler incentives are subject to the project cost cap and the one-year payback cap.
6. The maximum allowable incentive rates for energy-savings measures are posted in the most current [Schedule 140 tariff](#) as approved by the Utah Public Service Commission.

CFM = Cubic Feet per Minute

HVAC = Heating, Ventilation and Air Conditioning

IDEC = Indirect-Direct Evaporative Cooling

INCENTIVES FOR BUILDING ENVELOPE RETROFITS

EQUIPMENT TYPE	CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	INCENTIVE
Cool Roof	—	Must meet the minimum SRI specified by Green Globes Building Certification	\$0.04/square foot
Roof/Attic Insulation	—	Minimum increment of R-10 insulation added	\$0.40/square foot
Wall Insulation	—	Minimum increment of R-10 insulation added	\$0.30/square foot
Windows (See notes 3, 4)	Site-built	U-factor \leq 0.30 and SHGC \leq 0.33 (glazing only rating)	\$1.00/square foot
	Assembly	U-factor \leq 0.30 and SHGC \leq 0.33 (entire window assembly rating)	\$1.00/square foot
Window Film	Existing windows	See note 5	\$0.15/kWh annual energy savings (See note 5)

Notes for building envelope retrofit incentives:

1. Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
2. Building must be conditioned with mechanical cooling to be eligible for building envelope incentives.
3. Energy performance of window assemblies and glazing products must be rated in accordance with NFRC. Site-built metal window systems must include a thermal break within the frame or other appropriate NFRC certification to qualify for incentives. Skylights are not eligible to receive incentives in the above table.
4. Window square footage is determined by the dimensions of the entire window assembly, not just the window glass.
5. Incentives for window film are calculated based on film specifications and window orientation at \$0.15/kWh annual energy savings. Energy savings subject to approval by Rocky Mountain Power.
6. The maximum allowable incentive rates for energy-savings measures are posted in the most current [Schedule 140 tariff](#) as approved by the Utah Public Service Commission.

NFRC = National Fenestration Rating Council
SHGC = Solar Heat Gain Coefficient

INCENTIVES FOR BUILDING ENVELOPE MAJOR RENOVATION

EQUIPMENT TYPE	CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	INCENTIVE
Cool Roof	—	Must meet the minimum SRI specified by Green Globes Building Certification	\$0.04/square foot
Roof/Attic Insulation	—	Minimum increment of R-10 insulation added	\$0.20/square foot
Wall Insulation	—	Minimum increment of R-10 insulation added	\$0.15/square foot
Windows (See notes 3, 4)	Site-built	U-factor \leq 0.30 and SHGC \leq 0.33 (glazing only rating)	\$0.50/square foot
	Assembly	U-factor \leq 0.30 and SHGC \leq 0.33 (entire window assembly rating)	\$0.50/square foot

Notes for building envelope major renovation incentives:

1. Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
2. Building must be conditioned with mechanical cooling to be eligible for building envelope incentives.
3. Energy performance of window assemblies and glazing products must be rated in accordance with NFRC. Site-built metal window systems must include a thermal break within the frame or other appropriate NFRC certification to qualify for incentives. Skylights are not eligible to receive incentives in the above table.
4. Window square footage is determined by the dimensions of the entire window assembly, not just the window glass.
5. The maximum allowable incentive rates for energy-savings measures are posted in the most current [Schedule 140 tariff](#) as approved by the Utah Public Service Commission.

NFRC = National Fenestration Rating Council
SHGC = Solar Heat Gain Coefficient

INCENTIVES FOR FOOD SERVICE EQUIPMENT

EQUIPMENT TYPE	EQUIPMENT CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	CUSTOMER INCENTIVE
Residential Dishwasher	Used in a business	See Wattsmart [®] Homes Program	See offering in Schedule 111
Commercial Dishwasher (High temperature models w/electric boosters only)	Under Counter	ENERGY STAR [®] qualified	\$100
	Single tank, stationary (door type)		\$300
	Single tank conveyor		\$500
	Multiple tank conveyor		\$500
Electric Insulated Holding Cabinet	V ≥ 28 (Double size)	ENERGY STAR [®] qualified	\$1,000
	13 ≤ V < 28 (Full size)		\$600
	V < 13 (Half size)		\$400
Electric Steam Cooker	All sizes	ENERGY STAR [®] qualified	\$600
Electric Convection Oven	Full size	ENERGY STAR [®] qualified	\$350
	Half size		
Electric Fryer	Width < 18 inches (standard)	ENERGY STAR [®] qualified	\$300
	Width ≥ 18 inches (large)		
Electric Griddle	All sizes	ENERGY STAR [®] qualified	\$300
Electric Combination Oven	3 - 40 pans	ENERGY STAR [®] qualified	\$700
Ice Machines (Air-Cooled Only)	Harvest rate < 500 lbs/day	ENERGY STAR [®] qualified	\$125
	Harvest rate ≥ 500 lbs/day		\$150
Residential Refrigerator	Used in a business	See Wattsmart [®] Homes program	See offering in Schedule 111
Residential Freezer	Used in a business	See Wattsmart [®] Homes program	See offering in Schedule 111
Demand Controlled Kitchen Ventilation Exhaust Hood (Retrofit only)	Must be installed on commercial kitchen exhaust system	Variable speed motors must be controlled to vary fan speed depending upon kitchen demand, as indicated by connected sensors	\$0.15/kWh annual energy savings (See note 3)
Anti-Sweat Heater Controls (Retrofit only)	Low-temp (freezing) cases	Controls that reduce energy consumption of anti-sweat heaters based on sensing humidity	\$20/linear foot (case length)
	Mid-temp (refrigerated) cases		\$16/linear foot (case length)

See Appliances section for additional incentives.

Notes for food service equipment incentives:

1. Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
2. Refer to Rocky Mountain Power's Wattsmart[®] Homes program for efficiency requirements and incentives for listed residential appliances used in a business.
3. Incentives are paid at \$0.15/kWh annual energy savings. Demand controlled kitchen ventilation exhaust hood energy savings subject to approval by Rocky Mountain Power.

CEE = Consortium for Energy Efficiency

MDEC = Maximum Daily Energy Consumption

V = Association of Home Appliance Manufacturers (AHAM) Volume (cubic feet)

INCENTIVES FOR OFFICE AND OTHER EQUIPMENT

EQUIPMENT TYPE	MINIMUM EFFICIENCY REQUIREMENT	INCENTIVE
Smart Plug Strip	<ol style="list-style-type: none"> Incentive applies to any plug strip on Qualified Product List that eliminates idle or stand-by power consumption of connected plug-load appliance through the use of electric load sensor or occupancy sensor. Applies only to electric plug-load applications (e.g. computer monitors) 	\$5/qualifying unit
Engine Block Heater Controls	<ol style="list-style-type: none"> Unit must be on the Qualified Engine Block Heater list at the time of purchase. Unit must be a hard-wired outlet, portable, or engine mounted thermostatically controlled heater. 	\$125/unit

Notes for office equipment incentives:

- Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
- The maximum allowable incentive rates for energy-savings measures are posted in the most current [Schedule 140 tariff](#) as approved by the Utah Public Service Commission.

INCENTIVES FOR APPLIANCES

EQUIPMENT TYPE	EQUIPMENT CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	CUSTOMER INCENTIVE
High-Efficiency Clothes Washer	Residential (used in a business)	See Wattsmart® Homes program	See offering in Schedule 111
	Commercial (must have electric water heating and/or electric clothes dryer)	ENERGY STAR® qualified	\$100
Heat Pump Water Heater	Residential (used in a business)	See Wattsmart® Homes program	

See Food Service Equipment section for additional incentives.

Notes for office appliance incentives:

- Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
- Equipment must meet the efficiency rating standard that is in effect on the date of purchase.
- Refer to Rocky Mountain Power's Wattsmart® Homes program for efficiency requirements and incentives for listed residential appliances used in a business.

INCENTIVES FOR WHEEL LINE, HAND LINE OR OTHER PORTABLE SYSTEMS (RETROFIT ONLY)

IRRIGATION MEASURE	REPLACE	WITH	LIMITATIONS (INCLUDING BUT NOT LIMITED TO)	INCENTIVE
New rotating sprinkler replacing worn or leaking impact or rotating sprinkler	Leaking or malfunctioning impact or rotating sprinkler	Rotating sprinkler	<ol style="list-style-type: none"> 1. Fixed-in-place (solid set) systems not eligible. 2. Incentive limited to two sprinklers per irrigated acre. 	\$0.50 each
New or rebuilt impact sprinkler replacing worn or leaking impact sprinkler	Leaking or malfunctioning impact sprinkler	New or rebuilt impact sprinkler	<ol style="list-style-type: none"> 1. Rebuilt sprinkler shall meet or exceed manufacturer's specifications. 2. Fixed-in-place (solid set) systems not eligible. 3. Incentive limited to two sprinklers per irrigated acre. 	\$0.50 each
New nozzle replacing worn nozzle of same design flow or less on existing sprinkler	Worn nozzle	New nozzle (including flow control nozzles) of same design flow or less	<ol style="list-style-type: none"> 1. Flow rate shall not be increased. 2. All nozzles on the wheel line or hand line shall be replaced. 3. Fixed-in-place (solid set) systems not eligible. 4. Incentive limited to two nozzles per irrigated acre. 	\$1.50 each
New gasket replacing leaking gasket, including main line valve or section gasket, seal or riser cap (dome disk)	Leaking gasket	New gasket, including main line valve or section gasket, seal or riser cap (dome disk)	<ol style="list-style-type: none"> 1. New gasket must replace leaking gasket. 2. Fixed-in-place (solid set) systems not eligible. 3. Incentive limited to two gaskets per irrigated acre. 	\$2 each
New drain replacing leaking drain	Leaking drain	New drain, including drains on pivots and linears	<ol style="list-style-type: none"> 1. New drain must replace leaking drain. 2. Fixed-in-place (solid set) systems not eligible. 3. Incentive limited to two drains per irrigated acre. 	\$2 each
Cut and press or weld repair of leaking wheel line, hand line or portable main line	Leak in wheel line, hand line or portable main line	Cut and pipe press or weld repair	For rebuilds, invoice must show number of rebuild kits purchased and installed	\$8/repair
New or rebuilt wheel line leveler replacing leaking or malfunctioning leveler	Leaking or malfunctioning leveler	New or rebuilt leveler	<ol style="list-style-type: none"> 1. Applies to leaking or malfunctioning levelers only. 2. For rebuilds, invoice must show number of rebuild kits purchased and installed. 	\$1 each

INCENTIVES FOR PIVOTS AND LINEAR SYSTEMS (RETROFIT ONLY)

IRRIGATION MEASURE	REPLACE	WITH	LIMITATIONS (INCLUDING BUT NOT LIMITED TO)	INCENTIVE
Replacement – High Pressure	Worn impact sprinkler	New impact sprinkler	New sprinkler is of the same design flow or less	\$7/Drop
Replacement – MESA (Mid-Elevation Spray Application)	Worn low pressure sprinkler (e.g. rotating, wobbling, multitrajectory spray)	New low pressure sprinkler (e.g. rotating, wobbling, multitrajectory spray)	New sprinkler and regulator is of the same design flow or less	\$4/Drop
Replacement – LESA/LEPA/MDI (Low Elevation Spray or Precision Application)	Worn low pressure sprinkler (e.g. rotating, wobbling, multitrajectory spray)	New low pressure sprinkler (e.g. rotating, wobbling, multitrajectory spray)	New sprinkler and regulator is of the same design flow or less	\$2/Drop
Upgrade – High Pressure to MESA	Impact Sprinkler	New low pressure sprinkler (e.g. rotating, wobbling, multitrajectory spray)	—	\$7/Drop
Upgrade – High Pressure to LESA/LEPA/MDI	Impact Sprinkler	New low pressure sprinkler (e.g. rotating, wobbling, multitrajectory spray)	—	\$7/Drop
Upgrade – MESA to LESA/LEPA/MDI	MESA sprinkler package	New LESA/LEPA/MDI sprinkler package	—	\$5/Drop

IRRIGATION INCENTIVES FOR ANY TYPE OF SYSTEM

(RETROFIT OR NEW CONSTRUCTION, INCLUDING NON-AGRICULTURAL IRRIGATION APPLICATIONS)

IRRIGATION MEASURE	REPLACE	WITH	LIMITATIONS	INCENTIVE
Irrigation pump VFD	—	Add variable frequency drive to existing or new irrigation pump	1. Pumps serving any type of irrigation water transport or distribution system are eligible – wheel lines, hand lines, pivots, linears, fixed-in-place (solid set). 2. Both retrofit and new construction projects are eligible.	\$0.15/kWh annual savings

Notes for irrigation incentive tables on previous pages and above:

- Equipment that meets or exceeds the requirements listed above may qualify for the listed incentive.
- Except for the pump VFD measure, incentives listed here are available only for retrofit projects where new equipment replaces existing equipment (i.e. new construction is not eligible).
- Irrigation pump VFD Incentives are capped at 70% of energy efficiency costs, and incentives will not be available to reduce the energy efficiency project simple payback below one year. Energy savings and energy efficiency project costs are subject to Rocky Mountain Power approval.
- The maximum allowable incentive rates for energy-savings measures are posted in the most current [Schedule 140 tariff](#) as approved by the Utah Public Service Commission.
- Irrigation equipment incentives are only available for systems that are served by an electric pump (i.e. not diesel or a gravity-pressurized line).
- Sprinkler package for pivots/linears includes a regulator, where applicable.

VFD = Variable Frequency Drive

INCENTIVES FOR FARM AND DAIRY EQUIPMENT

EQUIPMENT TYPE	EQUIPMENT CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	CUSTOMER INCENTIVE
High-Efficiency Circulating Fan <i>(See note 2)</i>	12-23" Diameter	Fan must achieve an efficiency level of 12 lbf/kW or greater	\$25/fan
	24-35" Diameter	Fan must achieve an efficiency level of 15 lbf/kW or greater	\$35/fan
	36-47" Diameter	Fan must achieve an efficiency of 20 lbf/kW or greater	\$50/fan
	≥ 48" Diameter	Fan must achieve an efficiency of 24.5 lbf/kW or greater	\$75/fan
Heat Recovery	—	Heat recovery unit must use heat rejected from milk cooling refrigeration system to heat water. Customer must use electricity for water heating.	\$0.15/kWh annual energy savings
High Efficiency Ventilation Fan <i>(See note 2)</i>	12-23" Diameter	Fan must achieve an efficiency level of 11 cfm/W or greater	\$45/fan
	24-35" Diameter	Fan must achieve an efficiency level of 14 cfm/W or greater	\$75/fan
	36-47" Diameter	Fan must achieve an efficiency level of 17 cfm/W or greater	\$125/fan
	≥ 48" Diameter	Fan must achieve an efficiency level of 21 cfm/W or greater	\$150/fan
Milk Pre-Cooler (Retrofit only)	—	The equipment must cool milk with well-water before it reaches the bulk cooling tank. New construction not eligible.	\$0.15/kWh annual energy savings
Programmable Ventilation Controllers	—	The controller must control ventilation fans based on temperature or other applicable factors such as humidity, odor concentration, etc.	\$20/fan controlled
Variable Frequency Drives for Dairy Vacuum Pumps (Retrofit only)	—	VFD must vary the motor speed based on target vacuum level. Incentive available for retrofit only. New construction and replacement of existing VFD not eligible.	\$165/hp

Notes for dairy/farm equipment incentives:

1. Equipment that meets or exceeds the efficiency requirements listed above may qualify for the listed incentive.
2. Fan performance must be rated by an independent testing body in accordance with the appropriate ANSI/AMCA standards.
3. Incentives are capped at 70% of energy efficiency project costs and incentives will not be available to reduce the energy efficiency project simple payback below one year. Energy savings and energy efficiency project costs are subject to approval by Rocky Mountain Power.
4. Except where noted, all equipment listed in the table is eligible for incentives in both new construction and retrofit projects.
5. The maximum allowable incentive rates for energy-savings measures are posted in the most current [Schedule 140 tariff](#) as approved by the Utah Public Service Commission.

AMCA = Air Movement and Control Association International, Inc
ANSI = American National Standards Institute
cfm = cubic feet per minute
kW = kilowatt

VFD = Variable Frequency Drive
W = watt
lbf = pound force

INCENTIVES FOR COMPRESSED AIR (SYSTEM SIZE ≤ 75 HORSEPOWER FOR MOST MEASURES)

EQUIPMENT CATEGORY	REPLACE	WITH	LIMITATIONS	UNIT	INCENTIVE
Low-Pressure Drop Filter	Standard coalescing filter	Low-pressure drop filter where: 1. Pressure loss at rated flow is ≤ 1 psi when new and ≤ 3 psi at element change. 2. Particulate filtration is 100% at ≥ 3.0 microns and 99.98% at 0.1 to 3.0 microns, with ≤ 5 ppm liquid carryover. 3. Filter is of deep-bed "mist eliminator" style, with element life ≥ 5 years. 4. Rated capacity of filter is ≤ 500 scfm.	1. Compressor system must be ≥ 25 hp and ≤ 75 hp. 2. Compressor discharge pressure setpoint must be reduced by 2 psi or more after installation of low-pressure drop filter.	scfm	\$2/scfm
Receiver Capacity Addition	Limited or no receiver capacity (≤ 2 gallons per scfm of trim compressor capacity)	Total receiver capacity after addition must be > 2 gallons per scfm of trim compressor capacity	1. Compressor system size ≤ 75 hp, not counting backup compressor(s). 2. Trim compressor must use load/unload control not inlet modulation or on/off control. 3. Systems with VFD compressor or using variable displacement compressor as trim compressor are not eligible.	gal	\$3/gallon above 2 gallons per scfm
Cycling Refrigerated Dryer	Non-cycling refrigerated dryer	Cycling refrigerated dryer	1. Rated dryer capacity must be ≤ 500 scfm. 2. Dryer must operate exclusively in cycling mode and cannot be equipped with the ability to select between cycling and noncycling mode. 3. Refrigeration compressor must cycle off during periods of reduced demand.	scfm	\$2/scfm
VFD Controlled Compressor	Fixed speed compressor	≤ 75 hp VFD-controlled oil-injected screw compressor operating in a system with total compressor capacity ≤ 75 hp, not counting backup compressor capacity	1. Total compressor capacity in upgraded system is ≤ 75 hp, not counting backup compressor. 2. Compressor must adjust speed as primary means of capacity control.	—	\$0.15/kWh annual energy savings
Zero Loss Condensate Drain	Fixed timer drain	Zero loss condensate drain (See note 4)	Drain is designed to function without release of compressed air into the atmosphere. Any size system is eligible – there is no restriction on compressor size.	each	\$100 each
Outside Air Intake	Compressor drawing intake air from compressor room	Permanent ductwork between compressor air intake and outdoors	1. Compressor system size ≤ 75 hp 2. Ductwork must meet manufacturer's specifications, which may include: (a) ≤ 0.25" W.C. pressure loss at rated flow, and (b) allow use of compressor room air during extremely cold outside air conditions.	hp	\$6/hp
Compressed air end use reduction	Inappropriate or inefficient compressed air end uses	Functionally equivalent alternatives or isolation valves	Any size system is eligible – there is no restriction on compressor size	—	\$0.15/kWh annual energy savings

(continued)

Notes for compressed air incentives:

1. Equipment that meets or exceeds the efficiency requirements above may qualify for the listed incentive.
2. Except for the zero loss condensate drain and compressed air end use reduction measures, eligibility for incentives is limited to compressed air systems with total compressor capacity of 75 hp or less, not including backup compressor capacity that does not normally run.
3. Incentives are capped at 70% of energy efficiency project costs, and incentives will not be available to reduce energy efficiency project simple payback below one year. Energy savings and energy efficiency project costs are subject to approval by Rocky Mountain Power.
4. Zero loss condensate drains purchased as an integral part of another measure are eligible for the incentives shown above.
5. The maximum allowable incentive rates for energy-savings measures are posted in the most current Schedule 140 tariff as approved by the Utah Public Service Commission.

hp = Horsepower

ppm = parts per million

psi = pounds per square inch

scfm= cubic feet of air per minute at standard conditions (14.5 psia, 68°F and 0% relative humidity)

VFD = Variable Frequency Drive

INCENTIVES FOR WASTEWATER AND OTHER REFRIGERATION

EQUIPMENT TYPE	REPLACE	WITH	INCENTIVE
Adaptive Refrigeration Control	Conventional controls (defrost timeclock, space thermostat, evaporator fan control, if any, thermal expansion valve in some instances)	Adaptive refrigeration controller and, in some instances, electric expansion valve	\$0.15/kWh annual energy savings
Fast Acting Door	Manually operated door, automatic door with long cycle time, strip curtain, or entryway with no door in refrigerated/conditioned space	Fast acting door	\$0.15/kWh annual energy savings
Wastewater – Low Power Mixer	Excess aeration capacity	Extended range circulator or low power mixer	\$0.15/kWh annual energy savings

Notes for waste water and other refrigeration incentives:

1. Equipment that meets or exceeds the efficiency requirements above may qualify for the listed incentive.
2. Incentives are capped at 70% in energy efficiency project costs and incentives will not be available to reduce the energy efficiency project simple payback below one year. Energy savings and energy efficiency project costs are subject to Rocky Mountain Power approval.
3. The maximum allowable incentive rates for energy-savings measures are posted in the most current [Schedule 140 tariff](#) as approved by the Utah Public Service Commission.

INCENTIVES FOR OIL AND GAS

EQUIPMENT TYPE	REPLACE	WITH	INCENTIVE
Oil and gas pump off controller	—	Add pump off controller to existing oil or gas well	\$1,500 per controller

Notes for oil and gas incentives:

1. Equipment that meets or exceeds the efficiency requirements above may qualify for the listed incentive.
2. Incentives are capped at 70% in energy efficiency project costs and incentives will not be available to reduce the energy efficiency project simple payback below one year. Energy savings and energy efficiency project costs are subject to Rocky Mountain Power approval.
3. The maximum allowable incentive rates for energy-savings measures are posted in the most current [Schedule 140 tariff](#) as approved by the Utah Public Service Commission.

INCENTIVES FOR HVAC CHECK-UP			
MEASURE	CATEGORY	ELIGIBILITY REQUIREMENTS	INCENTIVE
3-Year Maintenance Agreement	Rooftop Units	Maintenance agreements must include a minimum of two system checks per year (heating and cooling seasons), one condenser coil cleaning per year, and a thermostat reprogramming and calibration	\$75/RTU
	Air- Cooled Chiller	Annual coil cleaning; compressor oil acid test; refrigerant leak test, electrical component inspection/test	\$5/Ton
	Water-Cooled Chiller	Annual cooling tower cleaning/descaling; water quality check; compressor oil acid test; refrigerant leak test; electrical component inspection/test	
Thermostats	Programmable Thermostat	Replace existing non-programmable or residential thermostat with a commercial programmable thermostat with a minimum of 7-day occupied/unoccupied settings.	\$150/Thermostat
	Smart Thermostat	Replace non-programmable thermostat or residential thermostat with a commercial programmable smart thermostat with a minimum of 7-day occupied/unoccupied settings. Smart thermostats must be Wi-Fi enabled, online dashboard and/or mobile device app, with occupancy sensor enabled.	
Economizer	Economizer Repair		\$150/RTU
Refrigerant	Proper Refrigerant Charge		\$35/Ton RTU Capacity

Notes for HVAC check-up incentives:

Incentives are capped at 70 percent of qualifying Energy Efficiency Measure Costs. Qualifying Energy Efficiency Measure Costs are subject to Rocky Mountain Power approval. [HVAC Check-up](#) incentives are available to customers implementing qualifying measures to their rooftop units (RTUs) through [approved HVAC Check-up trade allies](#). The initial assessment is free and details steps for participation.

INCENTIVES FOR WHOLE BUILDING NEW CONSTRUCTION

INCENTIVE PHASE	ELIGIBILITY REQUIREMENTS	SMALL PROJECT (<20,000 SQ. FT.)	MEDIUM PROJECT (≥20,000 SQ. FT. < 75,000 SQ. FT.)	LARGE PROJECT (≥ 75,000 SQ. FT.)
Early Engagement Incentive	Must engage with Rocky Mountain Power at or before design development. Incentive is paid to company that brings the project to RMP and sets up design charrette.	\$1,500	\$2,000	\$2,500
Design Incentive	Must submit permit drawings or construction drawings. Incentive is paid to company serving as the energy model lead*.	\$0.35 per sq. ft.	\$0.25 per sq. ft. (\$15,000 max)	\$0.15 per sq. ft. (\$15,000 max)
Construction Incentive - Building With Standard HVAC Systems	Projects installing a gas boiler chiller system, standard heat pumps, PTACs, and other code-standard HVAC systems.	\$0.17/kWh	\$0.15/kWh	\$0.12/kWh
Construction Incentive - Building With Gas Unit Heaters and Gas-Fired RTUs	Projects installing gas unit heaters and gas-fired RTUs as the primary source of heat for a project.	\$0.09/kWh	\$0.07/kWh	0.06/kWh
Construction Incentive - Building With Combined Electric HVAC Systems and Gas HVAC Systems	Projects installing electric HVAC systems in one part of the building and gas HVAC system in another part of the building. Common example includes a building installing VRF in the office space and unit heaters in the manufacturing space.	\$0.20/kWh	\$0.17/kWh	\$0.15/kWh
Construction Incentive - Building With Electric HVAC Systems	Must install primarily electric HVAC systems in the building, such as VRF or ground source heat pumps. Gas backup and gas DOAS are acceptable.	\$0.55/kWh	\$0.50/kWh	\$0.45/kWh
Additional Construction Incentive - Early Engagement	Additional incentive for projects that have completed construction and received the Early Engagement Incentive.	\$0.04/kWh	\$0.03/kWh	\$0.02/kWh
Meter Based Performance Incentive	Must commit to meter-based verification of savings to not exceeding 110% of modeled target savings. Incentive is paid to building owner.	\$0.05/kWh (\$75,000 max)		
Green Building Certification	Must provide a copy of green certification (LEED, Living Building Challenge, Green Globes, Energy Star, etc.). In addition, the project must have received the Early Engagement Incentive.	\$0.20 per sq. ft	\$0.15 per sq. ft	\$0.10 per sq. ft (\$15,000 max)

*Energy modeling lead will be selected during the design charrette.