

INCENTIVES FOR BUILDING ENVELOPE NEW CONSTRUCTION/MAJOR RENOVATION

EQUIPMENT TYPE	CATEGORY	MINIMUM EFFICIENCY REQUIREMENT	CUSTOMER INCENTIVE
Cool Roof	—	ENERGY STAR® qualified	\$0.02/square foot
Roof/Attic Insulation	—	Minimum increment of R-5 insulation above the applicable IECC requirements (See note 5)	\$0.09/square foot
Wall Insulation	—	Minimum increment of R-3.7 continuous insulation above the applicable IECC requirements (See note 5)	\$0.07/square foot
Windows (See notes 3, 4)	Site-built	U-factor ≤ 0.30 and SHGC ≤ 0.33 (glazing only rating)	\$0.35/square foot
	Assembly	U-factor ≤ 0.30 and SHGC ≤ 0.33 (entire window assembly rating)	\$0.35/square foot

Notes for building envelope retrofit incentives:

1. Equipment that meets or exceeds the efficiency requirements listed for the equipment category in the above table may qualify for the listed incentive.
2. Building must be conditioned with mechanical cooling to be eligible for building envelope incentives.
3. Window square footage is determined by the dimensions of the entire window assembly, not just the window glass.
4. Energy performance of window assemblies and glazing products must be rated in accordance with NFRC. Site-built metal window systems must include a thermal break within the frame or other appropriate NFRC certification to qualify for incentives. Skylights are not eligible to receive the incentives in the above table.
5. This program uses the International Energy Conservation Code (IECC) as the energy code baseline for new construction and major renovation projects. Compliance with the minimum efficiency requirements of the roof/attic and wall insulation measures may be demonstrated with equivalent U-factors and is subject to approval by Rocky Mountain Power.

IECC = International Energy Conservation Code

NFRC = National Fenestration Rating Council

SHGC = Solar Heat Gain Coefficient